

General Certificate of CPSIA Compliance

Customer & Ship To Address:

BENJAMIN FRANKLIN SCHOOL
217 WASHINGTON STREET
KEENE, NH 03431
Order Number:610368

The following product models are covered by this certificate:

65759	SLIDE TYPHOON 630 D W/PVC STEP (9'4" PF)
2720	THERAPEUTIC SEAT W/CHAIN-8' T/R
2901HH	SWING 2-LEG STD 8' T/R MCTE FOR (2) THER
2901HHX	ADD-A-BAY STD 8' T/R MCTE FOR (2) THERA
INSTALL	CONTRACT INSTALLATION

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

Section 101	Lead Paint Rule
Section 106	Toy Safety Standards ASTM-F963

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager
Miracle Recreation Equipment, Inc
PO Box 420
Monett, MO 65708
(800) 523-4202

The product models covered by this certificate were manufactured on 04/14/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

LAB	LOCATION	TEST DATE	ACCREDITED
Applied Technical Services, Inc	Marietta, GA	12/05/08	yes
Scientific Control Laboratories	Chicago, IL	11/13/08	yes

Scientific Control Laboratories	Chicago, IL	12/18/08	yes
Specialized Technology Resource	Kwai Chung, NT	11/21/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	12/01/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	03/16/09	yes