

General Certificate of CPSIA Compliance

Customer & Ship To Address:

GLEBE STREET ELEM. SCHOOL
502 GLEBE STREET
JOHNSTOWN, NY 12095
Order Number:611660

The following product models are covered by this certificate:

| | |
|----------|--|
| 767 | CLIMBER HORSESHOE, FREESTANDING |
| 7145029 | DECK SQUARE ATTACHES TO 4 POSTS |
| 7145039 | DECK 1/2 HEX FULL ATTCHS TO 4 PSTS MT II |
| 714552 | POST 5"OD X 136" 3'-5' DECKS |
| 714553 | POST 5"OD X 160" 5'6"-6'6" DECKS |
| 714555 | POST 5"OD X 76" FOR FENCING & PANELS |
| 7147146 | PANEL PILOT W/WINDOW 2 WHEELS |
| 7147225 | SERPENT TREK 8' ONLY |
| 714724 | CLIMBER UPHILL 6'6" & 8' DECK |
| 7147264 | SLIDE MOGUL 4' DECK |
| 7147284 | SLIDE BUMP & GLIDE ONE PIECE 4' |
| 71473866 | CLIMBER FOSSIL BLUFF 6'6" HEXAGON DECK |
| 71475969 | SLIDE TYPN 9'4" 630 D 6' & 6'6" DK MT II |
| 71477431 | BONGO STEPS TO 3' DECK W/HAND SUPPORTS |
| 7147765 | SKY WHEELS (3) 10'7" LONG ONLY |
| 714781 | DIP STATION |
| 714835 | CLIMBER CARGO NET LARGE MIRATHERM 5' DK |
| 714843 | CHINNING BAR W/POST |
| 714850 | SLIDE CHAMELEON ENTRY AND EXIT |
| 7148501 | SLIDE CHAMELEON STRAIGHT SECTION |
| 7148502 | SLIDE CHAMELEON RIGHT TURN SECTION |
| 7148559 | BRIDGE 8' SUSPENSION BETWEEN DECKS MT II |
| 714906 | LADDER HORIZONTAL "S" W/END CLIMBER |
| 7149609 | STAIRS ADA, 2'-6" RISE, MT II |
| 71496549 | TRANSFER PNT W/SINGLE STEP 4' DK MT II |
| 71499269 | KIDS' PERCH W/WHEEL MTII |
| 7149939 | STAIR ADA 5' TO 6'6" DECK MT II |
| 714999 | INSTALLATION KIT KC |
| 7148526S | SWING SET ARCH (3) BAY W/(6) SP SEATS |
| INSTALL | CONTRACT INSTALLATION |

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

| | |
|-------------|--------------------------------|
| Section 101 | Lead Paint Rule |
| Section 106 | Toy Safety Standards ASTM-F963 |

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager
Miracle Recreation Equipment, Inc
PO Box 420
Monett, MO 65708
(800) 523-4202

The product models covered by this certificate were manufactured on 04/24/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

| LAB | LOCATION | TEST DATE | ACCREDITED |
|---------------------------------|----------------|-----------|------------|
| Applied Technical Services, Inc | Marietta, GA | 12/05/08 | yes |
| Scientific Control Laboratories | Chicago, IL | 12/18/08 | yes |
| Specialized Technology Resource | Kwai Chung, NT | 11/21/08 | yes |
| St. Louis Testing Laboratories, | St. Louis, MO | 12/01/08 | yes |
| St. Louis Testing Laboratories, | St. Louis, MO | 03/16/09 | yes |