

General Certificate of CPSIA Compliance

Customer & Ship To Address:

MANATEE GLENS HOSPITAL
2020 26TH AVE. E.
BRADENTON, FL 34208
Order Number:611733

The following product models are covered by this certificate:

7185029	DECK SQUARE ATTACHES TO 4 POSTS MT II
718552	POST 3-1/2"OD X 130" 3'-5' DECKS
718555	POST 3-1/2"OD X 70" FOR PLAY PANELS
718700	SLIDE SIDE-BY-SIDE W/CANOPY 3' DECK
7187137B	PANEL STORE FRONT BELOW DK
718721	CLIMBER, CANYON 3' - 5' DECK
718787	CLIMBER TOT ROCK 3' DECK
718906	LADDER HORIZONTAL "S" W/END CLIMBER
718999	INSTALLATION KIT TC

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

Section 101	Lead Paint Rule
Section 106	Toy Safety Standards ASTM-F963

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager
Miracle Recreation Equipment, Inc
PO Box 420
Monett, MO 65708
(800) 523-4202

The product models covered by this certificate were manufactured on 04/02/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

LAB	LOCATION	TEST DATE	ACCREDITED
Applied Technical Services, Inc	Marietta, GA	12/05/08	yes
Scientific Control Laboratories	Chicago, IL	12/18/08	yes
Specialized Technology Resource	Kwai Chung, NT	11/21/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	12/01/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	03/16/09	yes