

General Certificate of CPSIA Compliance

Customer & Ship To Address:

WEST WING PARK
CRNR OF N. BALCK ROCK
PEORIA, AZ 85345
Order Number:612435

The following product models are covered by this certificate:

| | |
|----------|--|
| 7145019 | DECK TRIANGLE ATTACHES TO 3 POSTS MT II |
| 7145029 | DECK SQUARE ATTACHES TO 4 POSTS |
| 7145039 | DECK 1/2 HEX FULL ATTCHS TO 4 PSTS MT II |
| 7145523 | POST 5"OD X 136" 3'-5' DECKS |
| 7145533 | POST 5"OD X 160" 5'6"-6'6" DECKS |
| 7146085 | WAVY WEDGE WALL WALKER 5' DECK |
| 714700 | SLIDE 5' SIDE-BY-SIDE W/CANOPY 3' DECK |
| 71471510 | PANEL SIGN LANGUAGE |
| 7147234W | BRIDGE WIDE BURMA 4' MT II |
| 7147285 | SLIDE BUMP&GLIDE ONE PC 4'6, 5', 5'6" DK |
| 714734 | PANEL SAFETY AGES 5-12 |
| 7147341 | PANEL SAFETY AGES 2-5 |
| 71473886 | CLIMBER FOSSIL BLUFF 6'6" OCTAGON DECK |
| 71474859 | SLIDE TYPHOON II 6'2" 360 DEG 5' DK MTII |
| 7147633B | PANEL 3 LETTER WORD SPELLER BELOW DECK |
| 714781 | DIP STATION |
| 714787 | CLIMBER TOT ROCK 3' DECK |
| 7148109 | STAIR BETWEEN DECKS ADA 1' RISE MT II |
| 714823 | POWER PEDALER ARMS & LEGS W/POST |
| 714843 | CHINNING BAR W/POST |
| 714850 | SLIDE CHAMELEON ENTRY AND EXIT |
| 7148501 | SLIDE CHAMELEON STRAIGHT SECTION |
| 7148502 | SLIDE CHAMELEON RIGHT TURN SECTION |
| 71485135 | TRANSFER POINT SQUARE W/OPN HDRL 3' DECK |
| 7148703 | SLIDE TYPHOON III 270 DEG 3' DECK |
| 714905 | LADDER HORIZONTAL "L" W/END CLIMBER |
| 7149071 | SLIDE "L" RH ROCKITE 3' DECK |
| 714953 | RAIL SINGLE "L" W/END CLIMBER |
| 71495945 | STAIR ADA 2' RISE BTWN 4' DK OPEN RAIL |
| 7149922 | PANEL LOOKOUT TOWER KC |
| 7149929 | KIDS' PERCH MTII |
| 71499359 | STAIR ADA 5' TO 6'6" DK OPN HR MT II |
| 714994B | FUN FONES ABOVE DECK TO GROUND |
| 714999 | INSTALLATION KIT KC |
| 7145553 | POST 5"OD X 76" FOR FENCING & PANELS |

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

Section 101 Lead Paint Rule
Section 106 Toy Safety Standards ASTM-F963

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager
Miracle Recreation Equipment, Inc
PO Box 420
Monett, MO 65708
(800) 523-4202

The product models covered by this certificate were manufactured on 05/08/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

| LAB | LOCATION | TEST DATE | ACCREDITED |
|---------------------------------|---------------|-----------|------------|
| Applied Technical Services, Inc | Marietta, GA | 03/26/09 | yes |
| Scientific Control Laboratories | Chicago, IL | 11/13/08 | yes |
| Scientific Control Laboratories | Chicago, IL | 12/18/08 | yes |
| St. Louis Testing Laboratories, | St. Louis, MO | 12/01/08 | yes |
| St. Louis Testing Laboratories, | St. Louis, MO | 12/23/08 | yes |
| St. Louis Testing Laboratories, | St. Louis, MO | 02/16/09 | yes |
| St. Louis Testing Laboratories, | St. Louis, MO | 03/11/09 | yes |
| St. Louis Testing Laboratories, | St. Louis, MO | 12/23/09 | yes |