

General Certificate of CPSIA Compliance

Customer & Ship To Address:

AGWSR ELEM.  
511 STATE ST.  
ACKLEY, IA 50601  
Order Number:613847

The following product models are covered by this certificate:

4561	CLIMBER TARANTULA
7147732	BONGO JUNGLE CLIMBER 10' FREE STD 2' DK
2720	THERAPEUTIC SEAT W/CHAIN-8' T/R
7147351H	ADD-A-BAY SINGLE POST FOR THERA SEAT
7147354S	SWING SINGLE LEG 8' T/R W/4 SP SEATS
7045019	DECK TRIANGLE ATTACH TO (3) 3-1/2 POST
7045029	DECK SQUARE ATTACH TO (4) 3-1/2 POSTS
7045039	DECK 1/2 HEX FULL ATTACH TO (4) 3-1/2 PT
70454862	DECK TURNAROUND ADA W/CLOSED HNDRL MT II
70471510	PANEL SIGN LANGUAGE
7047265	SLIDE MOGUL ONE PIECE 4'6, 5', 5'6" DECK
70474859	SLIDE TYPHOON II 6'2" 360 DEG 5' DK MTII
7047555	CLIMBER HONEYCOMB 5' DECK
70475734	CLIMBING WALL SLOPED 45 DEG 3'1/4' TCX DK
7047613	PANEL GEAR ABOVE DECK
7047633	PANEL 3 LETTER WORD SPELLER
7048109	STAIR BETWEEN DECKS ADA 1' RISE MT II
7048135	DECK ENCLOSURE FOR OH CLIMBER ONLY
704815	LADDER VERTICAL 5' DECK
7048155	LADDER END FOR OVERHEAD CLIMBERS ONLY
704816	WALL ENCLOSURE
7048192D	BOULDER RIDGE 2 SECT - GRND TO DK
70486345	LADDER HORIZONTAL ONLY 4' LONG
704910	SLIDE 4' SKI 2' DECK
70492059	RAMP GRND TO DK 12' 1:12 OPN HNDRL MT II
7049219	RAMP DECK TO DECK 12' 1:12 MT II
7049662	BIG TIMBER SIT N' SEE PANEL
7049663	BIG TIMBER FENCE POST PANEL
7049666	BIG TIMBER HEX LEAF ROOF TCX
7049709	ARCH BRIDGE 8' BETWEEN DECKS MT II
7049753	PANEL CHIME ABOVE DECK
7049765	LADDER BUMPER 5' DECK
7049832	PANEL MOTOR SKILLS
704994	FUN FONES GROUND TO GROUND
718552	POST 3-1/2"OD X 130" 3'-5' DECKS
718572	POST 3-1/2"OD X 138" FOR ROOF 3' DECK
718573	POST 3-1/2" OD X 162" FOR ROOF(3'6-5'DK)
714999	INSTALLATION KIT KC

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

Section 101      Lead Paint Rule  
Section 106      Toy Safety Standards ASTM-F963

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager  
Miracle Recreation Equipment, Inc  
PO Box 420  
Monett, MO 65708  
(800) 523-4202

The product models covered by this certificate were manufactured on 06/11/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

LAB	LOCATION	TEST DATE	ACCREDITED
Applied Technical Services, Inc	Marietta, GA	12/05/08	yes
Scientific Control Laboratories	Chicago, IL	11/13/08	yes
Scientific Control Laboratories	Chicago, IL	12/18/08	yes
Specialized Technology Resource	Kwai Chung, NT	11/21/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	12/01/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	03/16/09	yes