

General Certificate of CPSIA Compliance

Customer & Ship To Address:

SOUTH FORK ELEM. SCHOOL
4100 E. 350 NO.
RIGBY, ID 83442
Order Number:613906

The following product models are covered by this certificate:

7188526S	SWING ARCH 3 1/2" OD W/6 SP SEATS
7188526S	SWING ARCH 3 1/2" OD W/6 SP SEATS
7045029	DECK SQUARE ATTACH TO (4) 3-1/2 POSTS
7045119	DECK TRIANGLE SPLIT ATTACHES TO 3 POSTS
704709C5	TRY RING 270 DEGREE OVERHEAD CLIMBER
7047142H	1/2 PANEL FIRE TRUCK BELOW DECK
704716	PANEL VIEW GROOVE
70473866	CLIMBER FOSSIL BLUFF 6'6" TCX HEXAGON DE
70475969	SLIDE TYPN 9'4" 630 D 6' & 6'6" DK MT II
7047743	BONGO STEPS TO 3' DECK
7047801	DUCKWALK BRIDGE 8'
704782	CRUNCH STATION
7048053	CLIMBER HULA GROUND TO 3' DECK
704850	SLIDE CHAMELEON ENTRY AND EXIT
7048501	SLIDE CHAMELEON STRAIGHT SECTION
7048502	SLIDE CHAMELEON RIGHT TURN SECTION
7048502	SLIDE CHAMELEON RIGHT TURN SECTION
70485135	TRANSFER POINT SQUARE W/OPN HDRL 3' DECK
70486726	CLIMBER TWISTED VINE 6'6" DECK
704900P1	STEERING WHEEL (POST MOUNT)
7049609	STAIRS ADA, 2'-6" RISE, MT II
7185029	DECK SQUARE ATTACHES TO 4 POSTS MT II
7185039	DECK 1/2 HEX FULL ATTA TO 4 POSTS MTII
718552	POST 3-1/2"OD X 130" 3'-5' DECKS
718553	POST 3-1/2"OD X 148" 5'6"-6'6" DECKS
718573	POST 3-1/2" OD X 162" FOR ROOF(3'6-5'DK)
718573	POST 3-1/2" OD X 162" FOR ROOF(3'6-5'DK)
7187153	PANEL JUMP 3' DECK
7187285	SLIDE BUMP & GLIDE ONE PC 4'6,5',5'6"DK
7187306	ROOF TREE HOUSE HEXAGON
71874959	SLIDE TYPHOON 6'2" 405 DEG 5' DECK MT II
7187555	CLIMBER HONEYCOMB 5' DECK
7187743	BONGO STEPS TO 3' DECK
718787	CLIMBER TOT ROCK 3' DECK
7188443	VERTICAL CARGO CLIMBER (3' DECK)
71885135	TRANSFER POINT SQUARE W/OPN HDRL 3' DECK
7188661	ROOF TRIPLE PLAY TC (1 MIDDLE PC)
71895959	STAIR ADA 3' TO 5' DECK OPEN HNDRL MTII
714999	INSTALLATION KIT KC

7188526S

SWING ARCH 3 1/2" OD W/6 SP SEATS

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

Section 101 Lead Paint Rule
Section 106 Toy Safety Standards ASTM-F963

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager
Miracle Recreation Equipment, Inc
PO Box 420
Monett, MO 65708
(800) 523-4202

The product models covered by this certificate were manufactured on 07/02/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

LAB	LOCATION	TEST DATE	ACCREDITED
Applied Technical Services, Inc	Marietta, GA	12/05/08	yes
Scientific Control Laboratories	Chicago, IL	11/13/08	yes
Scientific Control Laboratories	Chicago, IL	12/18/08	yes
Specialized Technology Resource	Kwai Chung, NT	11/21/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	12/01/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	03/16/09	yes