

General Certificate of CPSIA Compliance

Customer & Ship To Address:

POMONA U.S.D.
800 S. GAREY AVE.
POMONA , CA 91769
Order Number:613926

The following product models are covered by this certificate:

71875734 CLIMBING WALL SLOPED 45 DEG 3' OR 4' DK

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

Section 101 Lead Paint Rule
Section 106 Toy Safety Standards ASTM-F963

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager
Miracle Recreation Equipment, Inc
PO Box 420
Monett, MO 65708
(800) 523-4202

The product models covered by this certificate were manufactured on 05/27/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

LAB	LOCATION	TEST DATE	ACCREDITED
Applied Technical Services, Inc	Marietta, GA	12/05/08	yes
Scientific Control Laboratories	Chicago, IL	11/13/08	yes
Scientific Control Laboratories	Chicago, IL	12/18/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	12/01/08	yes