

General Certificate of CPSIA Compliance

Customer & Ship To Address:

IVELAND SCHOOL
1826 DYER
ST LOUIS, MO 63114-2404
Order Number:614216

The following product models are covered by this certificate:

457225	WAVY WEDGE WALKER 2-WAY,2-SECT,NO POST
714551BD	POST 5"OD X 76" BOLT DOWN
714552BD	POST 5"OD X 106" BOLT DOWN
714553BD	POST 5"OD X 136" BOLT DOWN
7147721	BONGO PERCH
7148191D	BOULDER RIDGE 1 SECT - GRND TO DK
7148192D	BOULDER RIDGE 2 SECT - GRND TO DK
7148435	CHINNING BAR ONLY
71484564	CARGO CLIMB-OVER 4'WIDE TOPRAIL 6'6"HIGH
7148645S	BRIDGE HANDRING, "S", RH, KC
714911T	BALANCE CHAIN TENSILE TOUGH 8'BTWN DKS
714913SB	BALANCE BEAM CURVED BOLT DOWN
822	LOGROLL
944	JUMPING BEAN
INSTALL	CONTRACT INSTALLATION
BOND	PERFORMANCE BOND

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

Section 101	Lead Paint Rule
Section 106	Toy Safety Standards ASTM-F963

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager
Miracle Recreation Equipment, Inc
PO Box 420
Monett, MO 65708
(800) 523-4202

The product models covered by this certificate were manufactured on 06/01/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

LAB	LOCATION	TEST DATE	ACCREDITED
Applied Technical Services, Inc	Marietta, GA	12/05/08	yes
Scientific Control Laboratories	Chicago, IL	11/13/08	yes
Scientific Control Laboratories	Chicago, IL	12/18/08	yes
Specialized Technology Resource	Kwai Chung, NT	11/21/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	12/01/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	03/16/09	yes
St. Louis Testing Laboratories,	St. Louis, MO	03/23/09	yes