

General Certificate of CPSIA Compliance

Customer & Ship To Address:

HILLSIDE PARK
42 GROVE ST.
GREENFIELD, MA 01301
Order Number:614315

The following product models are covered by this certificate:

360756	BSKTBL GOAL STL FAN DBL RIM FXD 48" EXT
7145029	DECK SQUARE ATTACHES TO 4 POSTS
7145129	DECK PENTAGON ATTCHS TO 5 POSTS MTII
714552	POST 5"OD X 136" 3'-5' DECKS
714573	POST 5" OD X 168" FOR ROOF 3'6"-5' DECK
7146011	CONNEXION STEP CLIMBER W/ENCLOS
714700	SLIDE 5' SIDE-BY-SIDE W/CANOPY 3' DECK
7147522	CLIMBER THE BIG KAHUNA 2' RISE BTWN DKS
7147555	CLIMBER HONEYCOMB 5' DECK
714787	CLIMBER TOT ROCK 3' DECK
714850	SLIDE CHAMELEON ENTRY AND EXIT
7148502	SLIDE CHAMELEON RIGHT TURN SECTION
7148502	SLIDE CHAMELEON RIGHT TURN SECTION
7148503	SLIDE CHAMELEON LEFT TURN SECTION
71485139	TRANSFER POINT SQUARE 3' DECK
71486251	ROOF, PENTAGON PAGODA
7149922	PANEL LOOKOUT TOWER KC
714994B	FUN FONES ABOVE DECK TO GROUND
714999	INSTALLATION KIT KC
1122	TABLE, PICNIC, 8' UNIVERSAL ACCESS
1272I	BENCH, 6' W/BACK, INGROUND
466500	CLIMBER, ORBX
466S008	NEXUS VELOCITY 4, SHORT - WITHOUT NET
1225	BENCH LOCKER 15' W/O BACK ANOD ALUM-PERM
709	MIRATHERM BIKE STAND
961	RIDER RCKT BUMBLEBEE W/2 C-SPRINGS BUZZY
963	RIDER ROCKITE SNAIL W/C-SPRING, POKEY
6085S9J	JET SKI FREERIDE - STAND-UP
299	TOT SEAT 360 DEG W/CLEVIS
7188526S	SWING ARCH 3 1/2" OD W/6 SP SEATS
714553	POST 5"OD X 160" 5'6"-6'6" DECKS

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

Section 101	Lead Paint Rule
Section 106	Toy Safety Standards ASTM-F963

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager
Miracle Recreation Equipment, Inc
PO Box 420
Monett, MO 65708
(800) 523-4202

The product models covered by this certificate were manufactured on 06/08/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

LAB	LOCATION	TEST DATE	ACCREDITED
Applied Technical Services, Inc	Marietta, GA	12/05/08	yes
Intertek	Leicester, UK	01/14/09	yes
Intertek	Leicester, UK	04/30/09	yes
Scientific Control Laboratories	Chicago, IL	11/13/08	yes
Scientific Control Laboratories	Chicago, IL	12/18/08	yes
Specialized Technology Resource	Kwai Chung, NT	11/21/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	11/25/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	12/01/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	03/16/09	yes