

General Certificate of CPSIA Compliance

Customer & Ship To Address:

OCSB MAINT. DEPT.
SOUTH ELEM. SCHOOL
OKEECHOBEE, FL 34972
Order Number:614534

The following product models are covered by this certificate:

104468	BOLT 3/8-16 X 1/2 BHCS 6 LOBE 18-8 SS
104523	SPACER THREADED 1/2" DIA. X 7/8 18-8 SS
981999PU	ROOF BRKT TC-FOR LV ROOF Pur
984134	TYPHOON SLIDE PARTS CARTON
7185002	CLAMP W/1" TUBE STUB
981108	PARTS CARTON 4 POSTR ROOF
981787PU	3 1/2" POST CAP CAST ALUMINUM PU
981997RD	RISER PLATE 12" RD
982073	PARTS CARTON 718502
982279PU	PARTS CARTON 718-810 PU
982546PU	PARTS CARTON STAIR CASTINGS PU
987188BL	STAIRS, TYPHOON SLIDE 4FT DK FPS BL
988130BL	TC- SQUARE DECK
988144BL	TC - 1 STEP FPS BL
103538BB	PLUG ROCKITE 2 1/2" BB
103543BB	PLUG ROCKITE 4" BB
104097	BOLT 3/8-16 X 2 BHCS 6 LOBE 18-8 SS
115208PU	PAINT PURPLE GLOSS 4.5 OZ AEROSOL CAN
115208RD	PAINT RED GLOSS 4.5 OZ AEROSOL CAN
117005	WASHER 3/8 X 1 O.D. FLAT 18-8 SS
71896535	TRANSFER PT W/OPEN HNDRL 3' DECK MT II

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

Section 101	Lead Paint Rule
Section 106	Toy Safety Standards ASTM-F963

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager

Miracle Recreation Equipment, Inc
PO Box 420
Monett, MO 65708
(800) 523-4202

The product models covered by this certificate were manufactured on 06/10/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

LAB	LOCATION	TEST DATE	ACCREDITED
Applied Technical Services, Inc	Marietta, GA	12/05/08	yes
Scientific Control Laboratories	Chicago, IL	12/18/08	yes
Specialized Technology Resource	Kwai Chung, NT	11/21/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	12/01/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	03/16/09	yes