

General Certificate of CPSIA Compliance

Customer & Ship To Address:

LATIMER LANE SCHOOL  
33 MOUNTAIN VIEW RD.  
WESTOGUE, CT 06089  
Order Number:614540

The following product models are covered by this certificate:

822	LOGROLL
7045029	DECK SQUARE ATTACH TO (4) 3-1/2 POSTS
7045049	DECK 1/2 HEX FULL ATTACH TO (5) 3-1/2 PS
7045119	DECK TRIANGLE SPLIT ATTACHES TO 3 POSTS
704616	CLIMBER POST, SINGLE LOOP
7046194	POD HOPPER 4' DECK
7047095	TRY-RING HORIZ 8' ONLY
70475728	CLIMBING WALL SLOPED 8' TCX DECK
704760	PANEL MAGIC BALL POPPER
7047635B	PANEL CYLINDER PLANET BELOW DECK
7047675	CLIMBER HORSESHOE W/O POSTS
7047721	BONGO PERCH
7048131	DECK ENCLOSURE ONE SIDED
7048135	DECK ENCLOSURE FOR OH CLIMBER ONLY
7048155	LADDER END FOR OVERHEAD CLIMBERS ONLY
7048158	LADDER VERTICAL 8' DECK
7048161	WIRE MESH ENCLOSURE
7048191D	BOULDER RIDGE 1 SECT - GRND TO DK
704824	RISER PLATE 24" W/RUNG & ARCH ENTRY
70482445	RISER 24" W/ARCH ENCLOSURE F/SPLIT DECKS
7048435	CHINNING BAR ONLY
704850	SLIDE CHAMELEON ENTRY AND EXIT
704850	SLIDE CHAMELEON ENTRY AND EXIT
7148501	SLIDE CHAMELEON STRAIGHT SECTION
7148501	SLIDE CHAMELEON STRAIGHT SECTION
7048502	SLIDE CHAMELEON RIGHT TURN SECTION
7048502	SLIDE CHAMELEON RIGHT TURN SECTION
7048503	SLIDE CHAMELEON LEFT TURN SECTION
7048503	SLIDE CHAMELEON LEFT TURN SECTION
70485165	TRANSFER POINT SQUARE W/OPN HDRL 6' DECK
70495949	STAIR ADA 2' RISE BTWN 4' DK CLOSE RAIL
7049662B	BIG TIMBER SIT N' SEE PANEL BELOW DK
704997	CLIMBER CARGO 4' DECK
718551	POST 3-1/2"OD X 100" 2'6" DECKS OR LESS
718552	POST 3-1/2"OD X 130" 3'-5' DECKS
718553	POST 3-1/2"OD X 148" 5'6"-6'6" DECKS
718554	POST 3-1/2"OD X 166" 7'-8' DECKS
714999	INSTALLATION KIT KC

Each of these products is in compliance with the following sections of the Consumer Product Safety Improvement Act of 2008 (CPSIA):

Section 101      Lead Paint Rule  
Section 106      Toy Safety Standards ASTM-F963

As the manufacturer/importer, Miracle Recreation Equipment, Inc located at 878 East Highway 60, Monett, MO, certifies the compliance of these products to the aforementioned sections of the CPSIA.

For additional information about actual test results, contact:

Quality Assurance Manager  
Miracle Recreation Equipment, Inc  
PO Box 420  
Monett, MO 65708  
(800) 523-4202

The product models covered by this certificate were manufactured on 06/25/09

Relevant testing for this Certificate of CPSIA Conformance was performed as follows.

LAB	LOCATION	TEST DATE	ACCREDITED
Applied Technical Services, Inc	Marietta, GA	12/05/08	yes
Scientific Control Laboratories	Chicago, IL	11/13/08	yes
Scientific Control Laboratories	Chicago, IL	12/18/08	yes
Specialized Technology Resource	Kwai Chung, NT	11/21/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	12/01/08	yes
St. Louis Testing Laboratories,	St. Louis, MO	01/16/09	yes
St. Louis Testing Laboratories,	St. Louis, MO	02/23/09	yes
St. Louis Testing Laboratories,	St. Louis, MO	03/09/09	yes
St. Louis Testing Laboratories,	St. Louis, MO	03/16/09	yes